ANALYTICA CHIMICA ACTA, VOL. 231 (1990)

AUTHOR INDEX

Alegret, S.
—, Alonso, J., Bartroli, J., Del Valle, M., Jaffrezic-Renault, N. and Duvault-Herrera, Y.
Flow-through pH-ISFET as detector in the determination of ammonia 53
—, see Gardies, F. 305
Alonso, J., see Alegret, S. 53
Arnold, M.A., see Rhines, T.D. 231

Bartroli, J., see Alegret, S. 53
Basu, A.K., see Kayasth, S.R. 133
Benito, C.G., see Calatayud, J.M. 259
Benzo, Z.A. de, see De Benzo, Z.A. 283
Berg, A. van den, see Van der Wal, P.D. 41
Berg, C.M.G. van den, see Van den Berg, C.M.G. 221
Bergkvist, H., see Winquist, F. 93
Bergveld, P., see Van der Wal, P.D. 41
Bermejo-Barrera, P.
—, Pita-Calvo, C. and Cocho de Juan, J.A.
Determination of molybdenum in infant formula and human milk by electrothermal atomic absorption spectrometry with barium difluoride as matrix modifier 321
Berthod, A., see Campiglia, A.D. 289
Bier, M.E.
—, Kotiaho, T. and Cooks, R.G.
Direct insertion membrane probe for selective introduction of organic compounds into a mass spectrometer 175
Birch, B.J., see Wring, S.A. 203
Bodalbhai, L.
— and Brajter-Toth, A.
Scanning electron microscopy in the analysis of the activity of graphite electrodes 191
Bos, M., see Pałys, M. 59
Bracey, L., see Wring, S.A. 203
Brajter-Toth, A., see Bodalbhai, L. 191
Buch-Rasmussen, T., see Risinger, L. 165

Calatayud, J.M.
— and Benito, C.G.
Flow-injection spectrofluorimetric determination of paracetamol 259
Campiglia, A.D.
—, Berthod, A. and Winefordner, J.D.
Flow injection for continuous sample introduction in solid-substrate room-temperature phosphorescence 289
Carrion, N., see De Benzo, Z.A. 283
Causserand, C., see Durliat, H. 309
Chattopadhyay, N., see Kayasth, S.R. 133
Cocho de Juan, J.A., see Bermejo-Barrera, P. 321
Comtat, M., see Durliat, H. 309
Cooks, R.G., see Bier, M.E. 175
Coulet, P.R., see Morelis, R.M. 27
Cullen, D.C.
—, Sethi, R.S. and Lowe, C.R.
Multi-analyte miniature conductance biosensor 33

De Benzo, Z.A.
—, Fraile, R. and Carrion, N.
Electrothermal atomization atomic absorption spectrometry with stabilized aqueous standards for the determination of cadmium in whole blood 283
Del Valle, M., see Alegret, S. 53
Desai, H.B., see Kayasth, S.R. 133
Ding, J., see Zhu, G. 157
Drews, W.
—, Weber, G. and Tölg, G.
Trace determination of nickel by microwave-induced plasma atomic emission spectrometry after preconcentration of nickel tetracarbonyl on Chromosorb 265
Durliat, H.
—, Causserand, C. and Comtat, M.
Bienzyme amperometric lactate-specific electrode 309
Duvault-Herrera, Y., see Alegret, S. 53

Ferriol, M.
—, Gazet, J. and Rizk-Ouaini, R.
Ultraviolet absorption spectra of some alkylchloramines 161
Foley, J.P.
Critical compilation of solute–micelle binding constants and related parameters from micellar liquid chromatographic measurements 237
Fraile, R., see De Benzo, Z.A. 283

Gardies, F.
—, Jaffrezic-Renault, N., Martelet, C., Perrot, H., Valleton, J.-M. and Alegret, S.
Micro-enzyme field effect transistor sensor using direct covalent bonding of urease 305
Gazet, J., see Ferriol, M. 161

Haerdi, W., see Maeder, G. 115
Hanazato, Y.
—, Shiono, S. and Maeda, M.
Response characteristics of the glucose-sensitive field-effect transistor. Computer simulation of the effect of gluco-

nolactonase coimmobilization in a glucose oxidase membrane 213
Hart, J.P., see Wring, S.A. 203
Haworth, D.T., see Shana, Z.A. 317
Hillman, D.C., see Pia, S.H. 21
Hobo, T., see Nakagama, T. 7
Hu, Z., see Wu, Z. 101

Ishida, J.
—, Yamaguchi, M., Nakahara, T. and Nakamura, M.
4,5-Diaminophthalhydrazide as a highly sensitive chemiluminescence reagent for α-keto acids in liquid chromatography 1

Jaffrezic-Renault, N., see Alegret, S. 53
—, see Gardies, F. 305
Jahan, M., see Jain, A.K. 69
Jain, A.K.
—, Jahan, M. and Tyagi, V.
Construction and assessment of some perchlorate-selective liquid membrane electrodes 69
Jenkins, T.F., see Walsh, M.E. 313
Jia, X., see Wu, Z. 101
Johansson, G., see Risinger, L. 165
Josse, F., see Shana, Z.A. 317

Kakihana, H., see Musashi, M. 147
Kawaguchi, T., see Yamashoji, Y. 107
Kayasth, S.R.
—, Basu, A.K., Chattopadhyay, N. and Desai, H.B.
Differential-pulse anodic-stripping voltammetric determination of traces of lead in high-purity copper after its separation by ion exchange 133
Kelkar, U.R., see Shana, Z.A. 317
Khan, S.H., see Van den Berg, C.M.G. 221
Kobayashi, N., see Yao, T. 121
Komljenović, J.
—, Martinac, V. and Radić, N.
Ion-sensitive behaviour of silver sulphide-based solid-state copper (II) and iodide electrodes in partially aqueous systems 137
Kontas, E., see Niskavaara, H. 273
Kotiaho, T., see Bier, M.E. 175

Li, J.
—, Liu, Y. and Lin, T.
Determination of lead by hydride generation atomic absorption spectrometry. Part 1. A new medium for generating hydride 151
Lin, T., see Li, J. 151
Linden, W.E. van der, see Pałys, M. 59
Liu, Y., see Li, J. 151
Low, G.K.-C.
— and Matthews, R.W.
Flow-injection determination of organic contaminants in water using an ultraviolet-mediated titanium dioxide film reactor 13
Lowe, C.R., see Cullen, D.C. 33
Łukaszewski, Z., see Szymański, A. 77
Lundström, I., see Winquist, F. 93

Maeda, M., see Hanazato, Y. 213
Maeder, G.
—, Veuthey, J.-L., Pelletier, M. and Haerdi, W.
Spectrophotometric determination of ethanol in blood using a flow-injection system with an immobilized enzyme (alcohol dehydrogenase) reactor coupled to an on-line dialyser 115
Marrazza, G., see Mascini, M. 125
Martelet, C., see Gardies, F. 305
Martinac, V., see Komljenović, J. 137
Mascini, M.
— and Marrazza, G.
Improved potentiometric determination of potassium in whole blood and serum with a valinomycin-treated silicone-rubber tubular electrode 125
Matsushita, T., see Yamashoji, Y. 107
Matthews, R.W., see Low, G.K.-C. 13
Mopper, K., see Vaughan, G.M. 299
Morelis, R.M.
— and Coulet, P.R.
Sensitive biosensor for choline and acetylcholine involving fast immobilization of a bienzyme system on a disposable membrane 27
Mozersky, S.M
Off-line and on-line assay of membrane protein with *o*-phthaldialdehyde by flow-injection with post-column reaction 249
Musashi, M.
—, Oi, T., Ossaka, T. and Kakihana, H.
Extraction of boron from GSJ rock reference samples and determination of their boron isotopic ratios 147

Nakagama, T.
—, Yamada, M. and Hobo, T.
Chemiluminescence sensor with uranine immobilized on an anion-exchange resin for monitoring free chlorine in tap water 7
Nakahara, T., see Ishida, J. 1
Nakamura, M., see Ishida, J. 1
Niskavaara, H.
— and Kontas, E.
Reductive coprecipitation as a separation method for the determination of gold, palladium, platinum, rhodium, silver, selenium and tellurium in geological samples by graphite furnace atomic absorption spectrometry 273

Oi, T., see Musashi, M. 147
Ossaka, T., see Musashi, M. 147

Pałys, M.
—, Bos, M. and Van der Linden, W.E.
Automatic polarographic elucidation of electrode mechanisms by means of a knowledge-based system. Part 1. Sampled d.c. polarography 59

Pelletier, M., see Maeder, G. 115
Perrot, H., see Gardies, F. 305
Pia, S.H.
—, Waltman, D.P., Hillman, D.C. and Street, K.W., Jr.
Spectrophotometric determination of pH by flow injection 21
Pita-Calvo, C., see Bermejo-Barrera, P. 321

Radić, N., see Komljenović, J. 137
Radtke, D.E., see Shana, Z.A. 317
Reinhoudt, D.N., see Van der Wal, P.D. 41
Rhines, T.D.
— Arnold, M.A.
Determination of ammonia in untreated serum with a fiber-optic ammonia gas sensor 231
Rigin, V.I.
Atomic fluorescence analysis with gas-phase atomization in an inductively coupled plasma 85
Risinger, L.
—, Buch-Rasmussen, T. and Johansson, G.
Effect of whole blood and plasma on the permeability of glucose through different cellulose and cellulose acetate membranes 165
Rizk-Ouaini, R., see Ferriol, M. 161

Sethi, R.S., see Cullen, D.C. 33
Shana, Z.A.
—, Radtke, D.E., Kelkar, U.R., Josse, F. and Haworth, D.T.
Theory and application of a quartz resonator as a sensor for viscous liquids 317
Shiono, S., see Hanazato, Y. 213
Shono, T., see Yamashoji, Y. 107
Si, Z., see Zhu, G. 157, 295
Skowronska-Ptasinska, M., see Van der Wal, P.D. 41
Street, K.W., Jr., see Pia, S.H. 21
Sudhölter, E.J.R., see Van der Wal, P.D. 41
Szymański, A.
— and Łukaszewski, Z.
Tensammetry with accumulation on the hanging mercury drop electrode. Part 6. Errors of determination caused by adsorption of non-ionic surfactants on the material of the measuring cell 77

Tamer, A.
Adsorptive stripping voltammetric determination of ofloxacin 129
Tanaka, M., see Yamashoji, Y. 107
Tölg, G., see Drews, W. 265
Tyagi, V., see Jain, A.K. 69

Urbańska, J.
Reduction mechanism of cobalt(II)–ammonia complexes on a dropping mercury electrode 143

Valle, M. del, see Alegret, S. 53
Valleton, J.-M., see Gardies, F. 305
Van den Berg, A., see Van der Wal, P.D. 41
Van den Berg, C.M.G.
— and Khan, S.H.
Determination of selenium in sea water by adsorptive cathodic stripping voltammetry 221
Van der Linden, W.E., see Pałys, M. 59
Van der Wal, P.D.
—, Skowronska-Ptasinska, M., Van den Berg, A., Bergveld, P., Sudhölter, E.J.R. and Reinhoudt, D.N.
New membrane materials sor potassium-selective ion-sensitive field-effect transistors 41
Vaughan, G.M.
— and Mopper, K.
Determination of nanomolar levels of formate in natural waters based on a luminescence enzymatic assay 299
Veuthey, J.-L., see Maeder, G. 115

Wada, M., see Yamashoji, Y. 107
Wal, P.D. van der, see Van der Wal, P.D. 41
Walsh, M.E.
— and Jenkins, T.F.
Liquid chromatographic separation of 2,4,6-trinitrotoluene and its principal reduction products 313
Waltman, D.P., see Pia, S.H. 21
Wang, X., see Zhu, G. 295
Wasa, T., see Yao, T. 121
Weber, G., see Drews, W. 265
Winefordner, J.D., see Campiglia, A.D. 289
Winquist, F.
—, Lundström, I. and Bergkvist, H.
Ethylene production from fruits measured by a simple field-effect structure and compared with a gas chromatographic method 93
Wring, S.A.
—, Hart, J.P., Bracey, L. and Birch, B.J.
Development of screen-printed carbon electrodes, chemically modified with cobalt phthalocyanine, for electrochemical sensor applications 203
Wu, Z.
—, Hu, Z. and Jia, X.
Spectrophotometric determination of tantalum with 4,5-dibromo-*o*-nitrophenylfluorone 101

Yamada, M., see Nakagama, T. 7
Yamaguchi, M., see Ishida, J. 1
Yamashoji, Y.
—, Matsushita, T., Kawaguchi, T., Tanaka, M., Shono, T. and Wada, M.
Liquid–liquid extraction of metal ions with tris(2,6-dimethoxyphenyl)phosphine and its quaternary phosphonium salts 107
Yang, J., see Zhu, G. 157
Yao, T.
—, Kobayashi, N. and Wasa, T.
Flow-injection analysis for L-glutamate using immobilized L-glutamate oxidase: comparison of an enzyme reactor and enzyme electrode 121

Zhu, W., see Zhu, G. 295
Zhu, G.
—, Si, Z., Wang, X. and Zhu, W.
Fluorescence enhancement of the europium–yttrium–diphacinone–ammonia system 295
—, Si, Z., Yang, J. and Ding, J.
Simultaneous spectrofluorimetric determination of terbium, samarium and europium with hexafluoroacetylacetone–trioctylphosphine oxide and Triton X-100 157